



REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED




0.2" (5mm)

NOTES:

1. RESONANT FREQUENCY: 4.00 MHZ
2. FREQUENCY TOLERANCE: +/- 0.5% AT 25C
3. TEMPERATURE RANGE: -20C TO +80C.
4. AGING, 10 YRS ROOM TEMP: +/- 0.5% MAX.
5. ABSOLUTE IMPEDANCE AT RESONANCE: 30 OHMS MAX
6. DIMENSION IN MM: W=8, H=5, T=3, L=5
7. MARKING: "ZT4.0M" OR "4.0MG" OR "ZTA 4.00M"



CMOS STANDARD CIRCUIT



TTL STANDARD CIRCUIT

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES	
DECIMALS	ANGULAR
XX ± .05	± 0.5°
XXX ± .010	
DO NOT SCALE DRAWINGS	
DRAWN J. YOUNG	DATE 4-95
CHECKED	
DESIGN	

INTEGRITY TECHNOLOGY

CERAMIC RESONATOR

SIZE A	FSCM NO.	DWG NO. ZTA 4.00M	REV D
SCALE NONE	ZTA-400M	SHEET 1	OF 1